

ProgramListing

James Devenish, Ramon Casellas, et Some Corporation

26 janvier 2004

1 section

```
<!-- Tabs should not have been lost!!! -->
<xsl:template match="note|important|warning|caution|tip">
  <xsl:choose>
    <xsl:when test="$admon.graphics != 0">
      <xsl:call-template name="graphical.admonition"/>
    </xsl:when>
    <xsl:otherwise>
      <xsl:call-template name="nongraphical.admonition"/>
    </xsl:otherwise>
  </xsl:choose>
</xsl:template>

<!-- User substitutes tabs with spaces -->
<xsl:template match="note|important|warning|caution|tip">
  <xsl:choose>
    <xsl:when test="$admon.graphics != 0">
      <xsl:call-template name="graphical.admonition"/>
    </xsl:when>
    <xsl:otherwise>
      <xsl:call-template name="nongraphical.admonition"/>
    </xsl:otherwise>
  </xsl:choose>
</xsl:template>
```

FIG. 1 A program listing within a figure

```
<!-- TABS SHOULD NOT BE LOST!!!-->
<xsl:template match="note|important|warning|caution|tip">
  <xsl:choose>
    <xsl:when test="$admon.graphics != 0">
      <xsl:call-template name="graphical.admonition"/>
    </xsl:when>
    <xsl:otherwise>
      <xsl:call-template name="nongraphical.admonition"/>
    </xsl:otherwise>
  </xsl:choose>
</xsl:template>
```

2 section

Some of the results in this section are incorrect—anyone know a workaround?

FIG. 2 A program listing within a figure, with line numbering

```
1 for (int i=0; i < 1; i++)
2     cout << "DB2LaTeX needs better documentation" << endl;
```

Exemple 1.1 A program listing within an example, with inline templates

```
for (int i=0; i < 1; i++)
    cout << "DB2LaTeX needs better documentation" << endl;
```

A literal layout :

Line 1
‘Line 2’
;Line 3;

A monospaced literal layout :

Line 1
 ‘Line 2’
 <Line 3>